



JYSK ESSENTIAL INDOOR WOOD OIL 375 ml (3650117/86088001)

Issued: 10/04/2024 Version: 1.0.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: JYSK ESSENTIAL INDOOR WOOD OIL 375 ml (3650117/86088001)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Surface treatment.

SU: Other (SU0).

PC: Non-metal-surface treatment products (PC15)

1.3. Details of the supplier of the safety data sheet

Supplier

Company: Guardian Protection Products A/S

Address: Knudevejen 22

Zip code: 6600
City: Vejen
Country: DENMARK

E-mail: guardian@guardian.dk

Phone: +45 75471767 Fax: +45 75471787

Distributor

Company: JYSK Ltd.

1st Floor Biostat House

Address: Pepper Road

Hazel Grove

Zip code: SK7 5BW
City: Stockport

Country: UNITED KINGDOM Phone: (+44) 0845 309 3089

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24)).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: The product shall not be classified as hazardous according to the classification and

labeling rules for substance and mixtures.

Most serious harmful effects: May cause slight irritation to the skin and eyes.

2.2. Label elements

The product shall not be classified as hazardous according to the classification and labeling rules for substance and mixtures.

2.3. Other hazards

The product does not contain any PBT or vPvB substances.





JYSK ESSENTIAL INDOOR WOOD OIL 375 ml (3650117/86088001)

Issued: 10/04/2024 Version: 1.0.0

Endocrine disrupting properties: None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes	CLP-classification
White mineral oil (petroleum)	8042-47-5 232-455-8	80 - 90 %	4	Asp. Tox. 1;H304

Please see section 16 for the full text of H- / EUH-phrases.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation: Seek fresh air.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical

advice in case of persistent discomfort.

Skin contact: Remove contaminated clothing. Wash skin with soap and water.

Eye contact: Flush with water (preferably using eye wash equipment) until irritation subsides. Seek

medical advice if symptoms persist.

General: When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

May cause slight irritation to the skin and eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Extinguish with powder, foam, carbon dioxide or water mist.

Unsuitable extinguishing

media:

Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

Can generate harmful flue gases containing carbon monoxide in the event of fire.

5.3. Advice for firefighters

If there is a risk of exposure to vapour and flue gases, a self-contained breathing apparatus must be worn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

^{4 =} H304 is not applicable due to the high viscosity of the product.





JYSK ESSENTIAL INDOOR WOOD OIL 375 ml (3650117/86088001)

Issued: 10/04/2024 Version: 1.0.0

For non-emergency personnel: Stop leak if this can be done without risk. Wear gloves.

For emergency responders: In addition to the above: Normal protective clothing equivalent to EN 469 is recommended.

6.2. Environmental precautions

Do not discharge large quantities of concentrated spills and residue into drains.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Wipe up minor spills with a cloth.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Running water and eye wash equipment should be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

7.2. Conditions for safe storage, including any incompatibilities

The product should be stored safety out of reach of children and not together with food, feed, medicine and the like. Keep in tightly closed original packaging.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit: Contains no substances subject to reporting requirements.

Measuring methods: Compliance with occupational exposure limits may be checked by occupational hygiene

measurements.

Legal basis: EH40/2005 Workplace exposure limits. Last amended January 2020.

DNEL - workers

White mineral oil (petroleum), cas-no 8042-47-5							
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note		
Inhalation DNEL (long-term exposure - systemic effects)	160 mg/m³						
Dermal DNEL (long- term exposure - systemic effects)	220 ppm						

DNEL - general population

White mineral oil (petroleum), cas-no 8042-47-5							
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note		





Safety Data Sheet JYSK ESSENTIAL INDOOR WOOD OIL 375 ml (3650117/86088001)

Issued: 10/04/2024 Version: 1.0.0

Dermal DNEL (long- term exposure - systemic effects)	92 mg/kg bw/day		
Inhalation DNEL (long-term exposure - systemic effects)	35 mg/m³		
Oral DNEL (long- term exposure - systemic effects)	40 mg/kg bw/day		

8.2. Exposure controls

Appropriate engineering controls:

Wear the personal protective equipment specified below. Use the product under well-

ventilated conditions.

Personal protective equipment, Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN

166/16321.

eye/face protection:

hand protection:

Personal protective equipment, Plastic or rubber gloves recommended. Gloves must not necessarily comply with a certain

standard.

respiratory protection:

Personal protective equipment, Not required. In case of spraying/formation of spraying mists: Wear respiratory protective equipment. Filter type: A. Respiratory protection must conform to one of the following

standards: EN 136/140/145.

Environmental exposure

controls:

Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

or information on Sacio physical and onomical proportion				
Parameter	Value/unit			
State	Liquid			
Colour	Clear			
Odour	Odourless			
Solubility	Not miscible with the following: Water			

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	No data	
Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	0.6 - 6.5 vol%	
Flash Point	> 180 °C	
Auto-ignition temperature	No data	
Decomposition temperature:	No data	
pH (solution for use)	No data	
pH (concentrate)	No data	
Kinematic viscosity	No data	
Viscosity	> 20.5 mm2/s	(40 °C)
Partition coefficient n-octonol/water	No data	
Vapour pressure	No data	
Density	No data	
Relative density	No data	
Vapour density	No data	





JYSK ESSENTIAL INDOOR WOOD OIL 375 ml (3650117/86088001)

Issued: 10/04/2024 Version: 1.0.0

Relative density (sat. air)	No data	
Particle characteristics	0.86 - 0.97 g/cm ³	

9.2. Other information

Parameter	Value/unit	Remarks
VOC (Volatile organic compounds):	0 %	

SECTION 10: Stability and reactivity

10.1. Reactivity

Not reactive.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Avoid exposure to daylight or other light sources.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None, if stored at the recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral

White mineral oil (petroleum), cas-no 8042-47-5

	,.					
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 5000 mg/kg			

Ingestion may cause discomfort. Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - dermal

White mineral oil (petroleum), cas-no 8042-47-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	LD50		> 2000 mg/kg			

Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - inhalation

White mineral oil (petroleum), cas-no 8042-47-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	LD50		> 5000 mg/kg			

Based on existing data, the classification criteria are deemed not to have been met.

Skin corrosion/irritation:

Degreases and dries the skin. Repeated exposure may cause skin dryness or cracking. The product does not have to be classified. Test data are not available.





JYSK ESSENTIAL INDOOR WOOD OIL 375 ml (3650117/86088001)

Issued: 10/04/2024 Version: 1.0.0

Serious eye damage/eye

irritation:

May cause eye irritation. The product does not have to be classified. Test data are not

available.

Respiratory sensitisation or

skin sensitisation:

The product does not have to be classified. Test data are not available.

Germ cell mutagenicity: The product does not have to be classified. Test data are not available.

Carcinogenic properties: The product does not have to be classified. Test data are not available.

Reproductive toxicity: The product does not have to be classified. Test data are not available.

Single STOT exposure: Inhalation of vapours/spray mist may cause irritation to the upper airways. The product

does not have to be classified. Test data are not available.

Repeated STOT exposure: The product does not have to be classified. Test data are not available.

Aspiration hazard: The product does not have to be classified. Test data are not available.

11.2. Information on other hazards

Endocrine disrupting

properties:

None known.

Other toxicological effects: None known.

SECTION 12: Ecological information

12.1. Toxicity

White mineral oil (petroleum), cas-no 8042-47-5

	. (1	,,	-				
Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish			96hLC50	> 1000 mg/l			

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

12.2. Persistence and degradability

Test data are not available.

12.3. Bioaccumulative potential

Test data are not available.

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

None known.





JYSK ESSENTIAL INDOOR WOOD OIL 375 ml (3650117/86088001)

Issued: 10/04/2024 Version: 1.0.0

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid discharge to drain or surface water. If this product as supplied becomes a waste, it does not meet the criteria of a hazardous waste (Dir. 2008/98/EU). Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

Empty, cleansed packaging should be disposed of for recycling. Uncleansed packaging is to be disposed of via the local wasteremoval scheme.

Category of waste: EWC code: Depends on line of business and use, for instance

Product: 16 05 09 discarded chemicals other than those mentioned in 16 05 06, 16 05 07

or 16 05 08

Absorbent/cloth contaminated with the product: 15 02 03 absorbents, filter materials,

wiping cloths and protective clothing other than those mentioned in 15 02 02

hazards:

SECTION 14: Transport information

14.1. UN number or ID number: Not applicable.

14.4. Packing group:

Not applicable.

14.2. UN proper shipping

Not applicable.

14.5. Environmental Not applicable.

name:

14.3. Transport hazard

class(es):

Not applicable.

14.6. Special precautions for user

None.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions: None.

15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

SECTION 16: Other information

Version history and indication of changes

Version	Revision date	Responsible	Changes
1.0.0	10/04/2024	Bureau Veritas HSE/JST	

Abbreviations: PBT: Persistent, Bioaccumulative and Toxic

vPvB: Very Persistent and Very Bioaccumulative

STOT: Specific Target Organ Toxicity DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

> our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with Regulation 1907/2006/EC "The Registration, Evaluation and Authorization of Chemicals" as amended by the stationary UK

REACH etc. (EU Exit) as subsequently changed.





JYSK ESSENTIAL INDOOR WOOD OIL 375 ml (3650117/86088001)

Issued: 10/04/2024 Version: 1.0.0

Training advice: A thorough knowledge of this safety data sheet should be a prerequisite condition.

Classification method: Calculation based on the hazards of the known components.

Hazard statements

H304 May be fatal if swallowed and enters airways.

SDS is prepared by

Company: Bureau Veritas HSE Denmark A/S

Address: Oldenborggade 25-31

Zip code: 7000
City: Fredericia
Country: DENMARK

E-mail: infohse@bureauveritas.com

Phone: +45 77 31 10 00 Homepage: www.bureauveritas.dk

Country: GB